HARVEY B. JACOBSON, JR. D. DOUGLAS PRICE JOHN CLARKE HOLMAN JOHN CLARKE HOLMAN JOHN CLARKE HOLMAN JOHN CLARKE HOLMAN JOHN CHARLER, SLOBASKY MARSHA G. GENTNER JONATHAN L. SCHERER IRWIN M. AISENBERG GEORGE W. LEWIS WILLIAM E. PLAYER YOON S. HAM BRIAN B. DARVILLE LINDA J. SHAPIRO LEESA N. WEISS SUZIN C. BAILEY* MATTHEW J. CUCCIAS

JACOBSON, PRICE, HOLMAN & STERN

THE JENIFER BUILDING
400 SEVENTH STREET, N. W.

WASHINGTON, D. C. 20004

(202) 638-6666

August 31, 2000

OF COUNSEL MARVIN R. STERN NATHANIEL A. HUMPHRIES



Atty. Docket No.: P65858US0
CUSTOMER NUMBER: 00136

Assistant Commissioner of Patents Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

David R. MACHIN, Santa Maria, CALIFORNIA Jon ANTON, Santa Maria, CALIFORNIA

for **ON-LINE BENCHMARKING SYSTEM AND METHOD**. The application comprises a **42**-page specification, including **19** claims (2 independent) and Abstract and **14** sheets of drawings.

This application is being filed under 37 C.F.R. §1.53 (without Declaration or Filing Fee). The required Declaration and Filing Fee will be filed subsequently.

Should a fee be necessary to obtain a filing date, e.g. paying the basic fee for nationalizing a PCT application, the Commissioner is hereby authorized to charge payment of any fees set forth in §§1.17 or 1.492 during the pendency of this application, or credit any overpayment, to Deposit Account No. 06-1358. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

JACOBSON, PRICE, HOLMAN & STERN, PLLC

There Pla 16 29, 851 for

Michael R. Slobasky

Reg. No. 26,421

cmf

The part of the pa

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention is related to the field of corporate performance evaluation and improvement and, more particularly, to an automated on-line system and method for providing a comparative, statistics-based analysis of industry peer performance through benchmarking.

Description of the Related Art

Benchmarking is an essential element of corporate performance evaluation worldwide. A "benchmark" is a standard of performance or a point of reference that serves as the basis of understanding relative standing or performance. Benchmarking involves comparing the vital statistics of one enterprise against those of a peer group of similar companies. Whether related to personnel, capital investment, customer care, marketing or administrative support operations, when decisions are to be made managers require as much information as can reasonably be obtained. Benchmarking is critical to identifying those aspects of corporate performance requiring improvement and formulating a knowledge-based plan of action to achieve objectives.

5

20

10 to the control of the control of

17

20

Benchmarking, in some form, has always existed. More recently, however, there has been a major push in many industries to identify the metrics that are central to success, and to find ways to accomplish more effective benchmarking. Some companies have banded together to exchange data among themselves on a formal or informal basis. However, often the data is partial in scope and limited in geographical reach. Similarly, some consulting companies have developed benchmarking practice units, but these are only able to provide "snapshot" studies to clients and are often accomplished pursuant to engagements that are simply cost prohibitive for many industry players.

Customer Relationship Management (CRM) operations, among them call centers, lend themselves particularly well to benchmarking because so many measurable elements of these centers are collected with total objectivity through the use of technology. A need exists among such operations for cost-effective benchmarking services that provide valuable comparison data with both peer groups that have been specifically selected as well as broader peer groups worldwide.

SUMMARY OF THE INVENTION

In view of the foregoing, one object of the present invention is to provide an on-line benchmarking service accessing

a comprehensive database of industry performance metrics.

Another object of the invention is to provide industry professionals with a tool for evaluating company performance and targeting areas for improvement through an automated system accessible via a distributed computer network such as the Internet.

A further object of the invention is to enable business process managers to compare their performance data with that of a group of industry peers having characteristics specifically defined by the manager requesting the comparison and analysis.

A still further object of the invention is to provide a benchmarking tool capable of generating a variety of data analysis reports which may be customized to meet the particular needs of the requestor.

Another object of the invention is to provide business managers with a means of obtaining current and up-to-date comparison data in any number of dynamically changing industries in order to stay abreast of both strengths and weaknesses as compared with industry peers.

Yet another object of the invention is to provide targeted benchmarking data at a very reasonable cost.

In accordance with this and other objects, the present invention is directed to an on-line benchmarking system and method. The benchmarking model is community-based, springing from academic

- 3 -

յուր կար վայ հետ այր կար այի կար Կոք տեր հետ այր հետ հետ հետ հետ ար

20

20

origins while providing a wealth of additional management decisionoriented features to maximize its usefulness and impact. The
system is accessible through a web site on a distributed computer
network such as the Internet. Users enter the web site and input
a member code to access the benchmark study datamart. In response
to a detailed questionnaire, users submit data summarizing their
performance metrics on-line. Input data is incorporated into the
database.

As a safeguard against errors in data entry, the datamart system includes a delinquent data checker for reviewing input data in order to identify data values that are suspected of having been entered in error. Such suspicion may arise from the data values themselves, in light of the bulk of data values previously entered for a particular index or generally anticipated values determined from the nature of the index. Input data is compared with predetermined valid data values or ranges for each index and data that is found to fall outside the predetermined valid data value or range for a particular index is placed on a list for subsequent verification.

The benchmark study datamart processes the data in accordance with user-specified criteria defining a peer group and affords the user with a range of reporting options highlighting strengths and weaknesses as compared to industry peers, and

providing realistic solution options for minimizing performance and financial gaps. The datamart is thus a continually updated and expanded model, which involves from hundreds to thousands of participants. Through such broad-based participation and automated access approach, the results obtained through the present invention not only offer superior quality and breadth of data, but also reduced cost.

These and other objects of the invention, as well as many of the intended advantages thereof, will become more readily apparent when reference is made to the following description taken in conjunction with the accompanying table and figures.

BRIEF DESCRIPTION OF THE DRAWINGS

101

ſħ

Late the first part of the little first the fi

March Street week

15

20

13

Figure 1 shows a block diagram of the on-line benchmarking system in accordance with the present invention:

Figure 2 is a flow diagram of the data entry process using the data entry section of Figure 1;

Figure 3 is a block diagram of the automated data entry system in accordance with the present invention;

Figure 4 is a flow diagram of the overall data analysis process using the data analysis section of Figure 1;

Figure 5 is a flow diagram of the operation of the delinquent data checker of Figure 4;

- 5 -

Figure 6 is a flow diagram of the operation of the gap killer of Figure 4;

Figure 7 is a flow diagram of the report generation and delivery processes using the report generation/delivery section of Figure 1;

5

10[]

der frem traff time man deut der freise

u tuk

The state of the s

15

20

Figure 8 is a sample executive report generated in accordance with the present invention;

Figure 9 is a sample peer group comparison report generated in accordance with the present invention;

Figure 10 is a sample peer group ranking report generated in accordance with the present invention;

Figure 11 is a sample peer group performance matrix report generated in accordance with the present invention;

Figure 12 is a sample performance gap analysis report generated in accordance with the present invention;

Figure 13 is a sample financial gap analysis report generated in accordance with the present invention; and

Figure 14 is a sample gap versus solution optimizer index report generated in accordance with the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In describing a preferred embodiment of the invention, specific terminology will be resorted to for the sake of clarity.

However, the invention is not intended to be limited to the specific terms so selected, and it is to be understood that each specific term includes all technical equivalents which operate in a similar manner to accomplish a similar purpose.

5

10[]

the firm that then the first field the

###

11

20

15 **[**]

Benchmarking involves comparing the vital statistics of one enterprise against those of a peer group of similar companies. A few examples of the types of measurement that might be benchmarked, for the sake of illustration, include costs of hiring, training and compensating employees in various geographic locations; cost to handle an inbound telephone call; percent overhead cost structure; sales per employee; years of customer retention, etc.

Virtually every type of business may benefit from benchmarking. For the purposes of this document, many of the examples used will be directed to Customer Relationship Management (CRM) call centers, but in no way is this intended to suggest that the present invention is limited to use with call centers.

As illustratively shown in Figure 1, the present invention is directed to a web-integrated on-line benchmarking system 10 referred to herein as the "datamart". The datamart 10 includes a data entry section 12, a data analysis section 14, and a report generation/delivery section 16. The datamart interacts with users 24 over a distributed computer network such as the

Internet 22.

10[]

And then then then the then the the

m hat

HH

15

20

The data entry section 12 includes a host site 18 having a search engine for accessing an on-line database 20. Data to be entered into the on-line database 20 is input through the data entry section 12. The host site 18 is preferably embodied as a web site accessible over the Internet 22. Users 24 access the host web site 18 through the Internet 22, using a web enabled computer or other web enabled device. As used herein, a web enabled computer shall be understood to mean any computer or other electronic device having the necessary software and telecommunications capability to connect to the Internet or similar distributed computer network for communications exchange.

As an Internet web site, the host site 18 may be configured in a number of ways, as would be known by persons of ordinary skill in the art. Benchmarking data is stored in the online database 20, which may be embodied as one or more databases.

The data analysis section 14 is connected to the data entry section 12 and includes a mirror database 30, a delinquent data checker (DDC) 32, and a gap killer 34. The mirror database 30 is a copy of the on-line database 20. During data analysis, the data in the on-line database 20 remains intact while the data stored in the mirror database 30 is manipulated. Each of these elements within the data analysis section 14 will be discussed in

greater detail hereinafter.

5

10[]

Half Warn, Arrie Breez, Wall Live Arrie

15

20

The report generation/delivery section 16 is connected to the data analysis section 14 and includes a report generator 40, a peer group generator/widener 42, and a report delivery device 44. Each of these elements within the report generation/delivery section 14 will be discussed in greater detail hereinafter.

A user wishing to initiate a benchmarking study with the datamart 10 accesses the host site 18 over the Internet 22. Upon logging onto the host site 18, the user is greeted with a "Home" page. As is known in the art, the "Home" page is the gateway to the site and provides the user with an overview of the site's available information and procedures. Other pages or folders may be selected by clicking on the visible tabs and/or listed links as would be known by one of skill in the art. Each page, once accessed, contains multiple links to other pages, as is known in the art. The benchmarking section is accessible through an appropriately named link.

Figure 2 presents a flowchart of the process of data entry, in accordance with the present invention, which begins by logging onto the host site, step 100. If the web site is being accessed for the first time, step 102, the user typically chooses at that time, step 103, to register with the site administrator, step 104. Registration may be accomplished following a screen-

prompted menu provided at the host web site 18. As part of the registration process, the user receives a password or other assigned security code.

Those users whose access is not a first time access, step 102, e.g., registered users, enter their individually assigned security code, step 106, and are granted access to the benchmarking section, step 108. Once within the benchmarking section, the user may complete an on-line survey, step 110, and the entered data is input automatically to the on-line database 20.

5

10[]

the terry per from the terry that the

100 Marie 100 Ma

15 <u>j</u>

20

In some instances it may be preferable to allow the user to choose not to register initially, step 103, but rather to enter survey data prior to completing the registration process; the present invention supports this sequence of entry as well. In this instance, the user may be given a guest security code or the code requirement may be waived or otherwise satisfied. The user then accesses the benchmarking section, step 108, and enters pertinent data, step 110.

As shown in Figure 3, data entry may also be completed automatically through the use of automated telecommunications links such that manual input through the web site is not necessary. Such automatic entry is possible within certain industries, such as the call center industry, using existing data monitoring and generation equipment of the user.

20

5

In the example of a call center user 240, a computer system 242 typically monitors call handling and related functions, directing calls to particular operators 246. The computer system 242, which includes a switch 244, monitors call related performance parameters, and generates a range of pertinent data on an automatic Such a computer system may include an automatic call distributor. A variety of switches are commercially available and may be embodied in hardware and/or software to perform data monitoring and reporting functions, as would be known by persons of skill in the art. Such switches may be programmed or otherwise configured to send the generated data to the datamart 10 via an email over the Internet 22 at predetermined intervals, at particular times, etc. Using custom modules 248 developed specifically for interfacing with particular switches 244, or types of switches, the datamart 10 extracts the data needed for a particular report or reports from the email. In a preferred embodiment, the modules are embodied in software and programmed to. gather the incoming email, locate and process the data, and correlate the data with the source of the email for report generation.

Using the system summarized in Figure 3, data generated by a call center user 240 as a matter of regular operation may be electronically conveyed to the datamart 10 with no additional

effort required on the part of the call center other than initial configuration of the switches. Switch coding directs the generation of a particular report, or reports, which is generated by the datamart and subsequently sent to the requesting call center. Through this automated data entry approach, regular performance evaluations may be conducted as a matter of routine business practice with little or no added effort on the part of the call center. Other industries which use automated computer monitoring equipment such as described in connection with the call centers may also be supported with automatic data entry in a similar manner.

5

10[]

Hall Har Man Will How may have may then the

####

15 [Û

20

Data may also be entered manually through the web site. The on-line survey includes a range of questions pertinent to the user's particular industry. In a preferred embodiment, the on-line survey includes a linear questionnaire constructed for on-screen presentation in three frames. One frame, called the navigation bar, displays the section of the questionnaire currently being completed. A second frame, the question number frame, identifies question numbers completed as well as the current question number. A third frame displays the questions. Other presentation formats are of course possible and are included within the scope of the invention.

Initially the user enters the questionnaire from the

10 that we had not have said have at 11 said had not all the table have 1 15

20

5

beginning. If the user must exit the questionnaire prior to completion, when he or she returns to complete the questionnaire the last question answered will be displayed. In the preferred embodiment the user is not permitted to skip questions without providing an answer. However, zero may be accepted as a valid answer to most numeric questions. By accepting the widest range of data during the data input phase, and then filtering and removing inconsistent data during the data analysis phase, the data input phase is streamlined, minimizing the time necessary for the user to complete data entry.

As questions are answered, the completed question numbers appear in the question number frame. The user may return to previously answered questions by clicking on the appropriate question number in the question number frame. When the user completes the last question in the section, the next section is shown automatically and the navigation bar is updated. The user may return to a previous section by clicking on the appropriate section number in the navigation bar. Completed sections may be displayed in one color while sections not yet completed are displayed in another color.

Because the questionnaire is linear, questions having a prerequisite will be skipped when the prerequisite is not satisfied. In other words, questions having a prerequisite will

only be shown when the prerequisite question has been answered correctly.

The data entry section also eliminates certain questions that do not apply to the particular user. For example, if the user represents a call center which does not handle any outbound calls, the data input section skips all questions that apply to outbound calls. This is done automatically by the host site through the use of the answers to specific questions to decide whether succeeding questions should be displayed.

The data that is collected may be divided into three types, namely real, nominal, and text. Real values are numeric values and may include decimals. Nominal values are results of multiple choice questions, e.g., true/false, daily/weekly/monthly, etc. Text values are responses to open-ended questions to the user (e.g., what vendor do you use for reporting?).

10[]

Heart Trans them them the trans the transfer that the transfer that the transfer the transfer that the transfer the transfer that the transfer thas the transfer that the transfer that the transfer that the tran

THE THE

20

15

As the data is collected a low level of validity checking is performed on the real data types by the data entry section. For certain questions, the entered value is compared to a range of realistic answers. If the data input by the user is outside the range, a warning may be displayed. However, the data is still accepted and the user may decide to ignore the warning and continue.

While on-line data entry or automated electronic data

transfer represent the preferred embodiments, users may also complete hard copy questionnaires which may be mailed or sent via facsimile to the datamart administrator for input to the database.

For the purposes of illustration, the contents of a sample survey will be summarized herein as presented for users involved in call centers. This summary is not inclusive of everything that may or could be asked but is provided to give some idea of the nature and scope of the information collected during the data entry phase.

5

10[]

the first their teen their their find, their

15 🏥

20

In the context of call centers, users may be asked questions relating to their specific industry area, total revenue, types (inbound, outbound, internal) and number of calls handled, and functions associated with each type of call. For inbound calls functions may include call routing, complaint resolution, customer service, dispatching, order taking, reservations, technical support to outside customers, etc. For outbound calls functions may include telemarketing and lead generation, collections, customer surveys, market research, etc. The call center requesting user is also asked to provide a breakout of costs for such things as human resources, computer equipment, real estate, toll-free service, etc.

The survey includes a broad range of inbound performance measures including averages for speed of answer, talk time, after call work time, number of abandoned calls, time before abandoning,

time in queue, sale value and number of inbound calls per telephone operator shift. Performance measures also include percentage of calls closed on first call, percentage calls blocked, percentage of time spent by operators or telephone service representatives handling calls, adherence to schedule, and cost per call.

5

10[]

that then that then the that the

15

20

Outbound performance measures include information on cost per call and cost per sale, sales per hour, average sale value, percentage of outbound calls that result in a sale, contacts per hour, and averages for sales revenue per operator per year, revenue collected per seat per shift, and sales revenue per seat per shift.

The survey may also be used to collect information relating to caller satisfaction measurement, e.g., how satisfaction is measured, the degree of satisfaction reported, etc. The requesting user's data may also incorporate input, received through automated telecommunications links, from an independent entity measuring customer satisfaction.

The survey can also collect data relating to call center strategy, e.g., whether focus is on acquisition or retention, basis for customer routing to particular agents, etc.; human resource management, e.g., educational level of operators, turnover, compensation, hiring criteria and practice, performance measurement criteria, training, etc.; process and knowledge, e.g., customer and file status information available to operators, recipients of data

warehousing and mining data, customer access channels, basis for call routing, etc.; technology solutions, e.g., hardware and software currently used or being contemplated for use; outsourcing, e.g., percentage of calls outsourced, reasons for outsourcing, cost of outsourcing, etc.; and facilities and design, e.g., number of seats, number of seats added in past year, average size of work space, desktop workstation equipment, etc.

Again, this survey data summary is representative only and additional or alternative information may be requested depending on the user and the nature of the pertinent industry.

As part of the data entry phase, after data entry, or at virtually any time desired by the user, the user can specify particular characteristics defining the peer group or a new peer group against which that user wishes to be benchmarked. A "peer group" does not necessarily connote competitors, but most often includes those companies having the same general profile of activities as the accessing user. For instance, using the example of call centers, a peer group might be all call centers handling mostly inbound calls that are mostly business-to-business in a call center of over 100 agents for a company with annual revenues of over 1 billion dollars. As another example, a peer group may be defined as only call centers that are inbound business-to-business, with between 100 and 200 agents, that handle at least 50% order

- 17 -

[]

20

5

20

5

taking and order tracking calls, and that handle at least 25% technical support calls. Peer group parameters may be derived from identification parameters contained within the data input by the accessing user. Alternatively, the user may specifically identify peer group identification parameters that may be of a different scope (e.g., broader or narrower) than those actually defining its own business position and request comparison with this customized group. This ability to specifically identify the characteristics of a desired peer group and to be compared in a detailed manner against that group provides requesting users with a tremendous means of quantifying performance and identifying success strategies not before available in the prior art.

The next phase is the data analysis phase, which is summarized in the flowchart of Figure 4. During a specified time and on a regular basis, the on-line database is copied to the mirror database, step 120. The remainder of the steps shown in Figure 4 are then performed using the data in the mirror database 30. In a preferred embodiment, the on-line database 20 is copied to the mirror database 30 on a daily basis, such as just before midnight.

Acting on the mirror database, the delinquent data checker (DDC) is run, step 122, to verify the accuracy of the input data in an automated manner. The gap killer is also run, step 123.

10 at that could from that there are in heat and with the first that the start was the first that the start tha

20

5

The process undertaken by the DDC is summarized in Figure 5. The process undertaken by the gap killer in summarized in Figure 6.

As shown in Figure 5, the DDC scans each completed record of the database, step 200, and compares every real value in the database to a predetermined data comparator value or limit, step In the preferred embodiment the comparison is generally made against an upper and lower limit. If the value being compared is outside the specified range, step 204, then that value is deleted, step 206. In addition, certain results are calculated using values in existing fields, step 208, to ensure that the ratio between the data points is within a predefined tolerance. For example, in the case of a call center, the indicated value for cost allocated to call operation should, when divided by the number of calls received, be roughly equal to an indicated cost per call. ratio is not within the predefined tolerance, step 210, the values are deleted, step 212. If the ratio is within the tolerance, step 210, the method determines there is no delinquent data, step 124, and proceeds with the report generation stage, step 360. the running of the DDC, the original data in the on-line database 20 is untouched.

When a value is deleted, then the record that contained the data is viewed as delinquent data, step 124, and is added to a list of data delinquents, step 126. As shown in Figure 4, once the

20

5

entire database has been scanned by the DDC, the datamart system automatically generates customized email messages to the users placed on the data delinquents list requesting data verification, step 128. Each such email describes the out of range value(s) and requests that the user confirm the validity of each piece of data in question. The user is provided with a convenient means of responding, preferably electronically such as via email, and can either verify that the data is indeed correct or acknowledge that an error was made in data entry and provide a replacement value for the delinquent data. In the event the delinquent data was indeed correct, step 130, the data is examined to determine if it is typical. If the data is typical 131, the upper or lower limit of the valid data range is changed, step 132, to specify a range that includes the user's data value. If the data is not typical 131, then the valid data range is not changed, step 133. In non-typical data situations, data correctness does not initiate a change in valid data range due to what may be considered an anomaly in the operation of the requesting user. For example, call centers relying on volunteer operators may have data values that do not fall within ranges which would be expected for call centers having paid operators.

If the delinquent data was not correct, step 130, then the data is corrected, step 134, in accordance with the user's

input.

5

10[]

The Hom Was well from Man good the Hall Hall

15.....

Trib Prif

20

Removing delinquent data leaves holes, or gaps, in the database. In addition, when entering survey information responses to various indices, the user may intentionally or inadvertently fail to provide answers for certain of the questions. These unanswered questions also leave gaps in the body of data. While entry of data to some indices is mandatory, entry of a response to others may be omitted without compromising the value of the survey as a whole. Yet the presence of gaps in the data may be interpreted by the system as indicating that the entire body of data is defective, aborting further processing of that survey. The gap killer serves to preserve useful data that might otherwise be rejected due to non-critical data gaps in the body of data.

Operation of the gap killer is summarized in Figure 6. In order to neutralize the effect of non-essential gaps, the gap killer identifies an index containing a gap, step 320, and then determines an average database value for that index. The gap killer performs this function in two phases. First, the gap killer program selects two columns from the database, step 330; in a preferred embodiment, one of these two columns is taken from the beginning of the questionnaire and the other is taken from the end. These columns, or values for a selected parameter however presented, are known as the "plug-in columns" and are considered

essential data.

The entire database is then scanned, step 332, to identify records in which both plug-in columns have been answered. If both plug-in columns have not been answered, step 334, those records are deleted, step 336.

A parallel step is to analyze the remaining records and complete the missing data. For each record having gaps, i.e., the current record, a set of records known as a "plug-in group" is determined, step 338. The plug-in group is comprised of those users whose "plug-in column" values are within a certain number of standard deviations from those of the current record. Using the plug-in group, the gaps in the current record are filled as If the gap in the current record is a real value, step follows. 340, then the gap is filled using the average value for that index from the plug-in group, step 342. If the gap in the current record is a nominal value, step 344, then the gap is filled with the most likely response, step 346. The most likely response is determined by counting the number of occurrences of each response within the "plug-in group", calculating the probability of each response, and then choosing a value based on these probabilities. Finally, gaps that would otherwise contain text values are not filled in and the text value is left blank, step 348. If there are additional records with gaps, step 350, the process loops back to step 338 to

20

10[]

13

5

10 at that and the test test at that the set of the test test at 15

20

5

determine a plug-in group for the next current record. When all records with gaps have been processed, the data is forwarded to the report generation section, step 360.

In summary, by deleting incurable records and temporarily filling the gaps for non-essential indices in the remaining records, the gap killer completes the remaining records without changing the overall trends and averages. While the action of the gap killer may be said to reduce the absolute accuracy of the survey, this is not statistically significant. More importantly, by filling in certain gaps, survey information that might otherwise by rejected is accepted and preserved, enabling that body of survey data to be forwarded for further analysis.

The third phase of the data acquisition and processing procedure of the present invention is report generation and delivery. In a preferred embodiment, this phase is completed using the report generator 40 and the report delivery device 44. The peer group generator/widener 42 establishes the parameters of the peer group against which the current user will be compared. As discussed earlier, this peer group may be determined by the datamart on the basis of the self-describing identification information obtained from the user, or the user may specify desired criteria or peer group identification parameters defining an alternative, customized peer group.

20

The steps undertaken during report generation and delivery in accordance with the present invention are set forth in Figure 7. A user requests a report through the host site, step 400, and in response to this request certain flags are set in the on-line database, including a "report request" flag, step 402. When the on-line database 20 is copied to the mirror database 30, the set flags are conveyed to the mirror database.

The peer group generator establishes a peer group for the requesting user, step 404. A different peer group may be established every day, or for every cycle of the function of the present invention whether daily, or more or less frequently.

The datamart has a variety of report formats and types available. For each available report, the datamart system includes a template containing several pages of tables and/or graphs. In response to a report request, the appropriate template is selected, step 406, and each requested report is generated by creating the appropriate tables and graphs based on the data in the "gap killed" database, step 408. In the preferred embodiment, every report that is generated is assigned a unique report identification number or code. Multiple copies of the same report, which may be sent to multiple locations, each receive a different number to facilitate tracking capability as well as report integrity.

Once a set of reports is ready, the set is moved to an

death of the first state with the first state of the first state s

20

5

"out box" awaiting approval, step 410. In a preferred embodiment, each report is converted into an Adobe Acrobat® PDF file before being placed in the "out box". Other file formats may, of course, be used. If the user had requested that the report be printed and sent through the mail then the report is moved into a "print box" instead of the "out box".

Associated with each report, or set of reports as appropriate, is a "ready-to-go" flag and an "OK-to-go" flag. The "ready-to-go" flag is set once the report has been moved to the "out box" or the "print box", step 412. Setting of the "ready-to-go" flag resets the user's "report request" flag.

The reports having a "ready-to-go" flag set are reviewed for accuracy, and a method of billing for the order is confirmed, step 414. Representatively, users may receive an invoice or charge their order to a credit card, although any known manner of effecting payment could be used. Upon generation of an invoice or the charging of a credit card account, an "OK-to-go" flag for the relevant report is set, step 416. In the preferred embodiment, the review and setting of the "OK-to-go" flag are performed manually.

Once the reports have been generated, the report delivery device 44 is executed. This program scans each report or set of reports in the "out box" or the "print box", as appropriate, step 418. If the report in the "out box" or the "print box" has the

20

5

"ready-to-go" flag set, the report delivery device checks to see if the "OK-to-go" flag has been set. If the "OK-to-go" flag has been set, step 420, the associated report material is emailed to the user with a standard, customized cover letter, step 422. Reports placed in the "print box" are sent to the user by regular mail or other hard copy delivery means. Once the reports have been sent, the flags are reset and the sent reports are moved from the "out box", or the "print box", to the "sent box", step 424. In this way a copy of every report is retained for future reference.

A variety of reports may be generated using the datamart system. The reports typically include a combination of text pages showing metrics and comparative results, as well as graphic pages showing comparative positioning. Representatively, the report options that may be generated include, among others, executive summary, peer group comparison, peer group ranking, peer group performance matrix, performance gap analysis, financial gap analysis, and gap versus solution optimizer index reports.

The executive summary report is an overview report that compares the requesting user with all database participants. A representative executive summary report is set forth in Figure 8.

The peer group comparison report compares the performance of the requesting user with that of a peer group on a metric by metric basis. The comparison is drawn not only with the peer group

20

5

as a whole, but also with the best of the peer group (which may be defined as the top 10%) and with all participants in the database. Further detail may include an indicator of survey response (number of respondents, percentage of response, etc), as well as median, average, standard deviation and highest value scores for each of the peer group, best-in-peer group and all participants categories. The user requesting a peer group comparison report may define particular peer group identification parameters to establish a customized peer group profile. A sample sheet illustrating a representative peer group comparison report is presented in Figure 9.

The peer group ranking report provides the requesting user with a multi-metric summary identifying how individual metrics compare with those of an individualized peer group. The report includes a percentile rank as well as an overall numeric ranking. A sample sheet from a representative peer group ranking report is set forth in Figure 10.

The peer group performance matrix report graphically compares the requesting user to a selected group of participants having similar characteristics. Through a 2-by-2 matrix, this report presents efficiency versus effectiveness in a visual "balance score card" of performance. Of special importance is the fact that the requesting user's business is plotted on the same

10 der trock tiller them trock first times and the trock of the trock of the trock of the times that the trock of the times the times the trock of the times the t

20

5

matrix with the peer group, allowing the user to immediately assess comparative performance. A representative peer group performance matrix report is presented in Figure 11.

The performance gap analysis report allows analysis of the performance gap between the requesting user and a peer group by identifying comparative performance and then calculating a "value creating gap" or a "value destroying gap", as applicable. Looking at the sample performance gap analysis report shown in Figure 12, for example, in the event the requesting user ranks above the peer group in a specific metric, e.g., average time in queue, for that metric the user will see a percentage in the column entitled "value creating gap". This percentage value shows the degree to which the user's performance is superior to that of the peer group. The same applies to values placed in the column entitled "value destroying gap", e.g., average after call work time.

The financial gap analysis report allows analysis of the estimated economic cost gap between the requesting user and a peer group by identifying comparative performance and then calculating an absolute gap and a relative gap. The absolute gap represents the numeric difference between the score of the requesting user and that of the peer group, while the relative gap takes into account the percentage difference conveyed by such gap. A sample financial gap analysis report is shown in Figure 13.

5

The financial gap analysis report also includes a conversion of the performance gap to a monetary value, the "gap value". This conversion allows the requesting user to prioritize those areas needing improvement on the basis of the "bottom line". Word formulas used to calculate the value of performance gaps are summarized in Tables I and II.

solution optimizer report is The gap versus sophisticated report that takes each metric for which the user has a negative gap relative to the peer group and prints out a summary of potential solutions available on the market for narrowing or eliminating that gap. An approximate cost per agent seat and each solution is also provided. implementation time for Furthermore, the gap versus solution optimizer report assigns a risk factor to each solution, estimates the impact of the solution on the performance gap, and calculates an expected return on investment (ROI) from each solution. Finally, a weighted Optimal Decision Index is calculated which takes all of the factors into consideration and yields a listing ranked in descending order. A sample gap versus solution optimizer report is provided in Figure 14.

Table I

INBOUND EFFICIENCY METRICS	
Talk time (min)	=(GAP in minutes) x (inbound calls handled) / (60 minutes per hour) x (hourly rate for a TSR in \$)
After call work time (min)	=(GAP in minutes) x (inbound calls handled) / (60 minutes per hour) x (hourly rate for a TSR in \$)
Calls abandoned (%)	= (GAP in %) \times (inbound calls offered) \times (perfect score in %) \times (percent of perfect score resulting in
	loyalty in %) × (1 + positive word of mouth factor) × (customer lifetime value in \$) × (1- %
Time in queue (sec)	=(GAP in seconds) × (inbound calls offered) / (60 minutes per hour) × (costs of toll-free call in
	cents per minute)
Calls blocked (%)	=(GAP in %) \times (inbound calls offered) \times (percent of perfect score resulting in loyalty in %) \times (1 +
	positive word of mouth factor) \times (customer lifetime value in \$) \times (1- % abandoned that call back
	immediately)
TSR occupancy (%)	=(GAP in %) × (number of FTE hours per year) × (hourly rate for a TSR in \$)
Time before abandoning	=(GAP in seconds) I (Industry average time before abandoning) $ imes$ (calls abandoned in %) $ imes$
(sec)	(inbound calls offered) \times (perfect score in %) \times (percent of perfect score resulting in loyalty) \times (1 +
	positive word of mouth factor) \times (customer lifetime value) \times (1- % abandoned that call back
	immediately)
Adherence to schedule (%)	=(Gap in %) \times (TSR occupancy in %) \times (number of FTE hours per year) \times (hourly rate for a TSR in
	(\$
Calls per 8-hr shift per TSR	=(GAP) \times (5 days a week) \times (52 weeks per year) \times (talk time in minutes) + (after call work time in
-	minutes) / (60 minutes per hour) $ imes$ (hourly rate for a TSR in \$)
Data entry error per thousand	=(GAP) / (10 to convert to percent) \times (inbound calls handled) \times (percent of calls that require data
inputs	entry in %) $ imes$ (time it takes to correct one data entry error in minutes) / (60 minutes per hour) $ imes$
	(hourly rate for a TSR in \$)

Table I

= (GAP in %)× (number of part-time TSRs) × (Cost to bring on a new TSR in \$)	= (GAP)× (number of full-time TSRs) × (Cost to bring on a new TSR in \$)	=(GAP in hours) × ((number of part-time TSRs) × (turnover in part-time TSRs in %) + (number of full-time TSRs) × (turnover in full-time TSRs in %)) × (hourly rate for a TSR in %)	=(GAP in %) × (number of FTE hours per year) × (hourly rate for a TSR in \$) + (GAP in %) × (calls abandoned) × (inbound calls offered) × (perfect score in %) × (percent of perfect score resulting in loyalty in %) × (1+positive word of mouth factor) × (customer lifetime value in \$) × (1 - percent abandoned that call back in %)	=(GAP in $\$$) × ((number of part-time TSRs × (turnover of part-time TSRs in $\%$) + (number of full-time TSRs) × (turnover in full-time TSRs in $\%$))	=(GAP in \$) × (number of FTE hours per year)	=(GAP in %) × (IF(up & cross sell opportunities that result in sale in % = 0 THEN take industry average ELSE take up & cross sell opportunities that result in sale in %) × (inbound calls handled) × (average sales value per call in \$)	=(GAP in %) \times (IF(up & cross sell opportunities in % = 0 THEN take industry average ELSE take up & cross sell opportunities in %) \times (inbound calls handled) \times (average sales value per call in \$)	=(GAP in %) × (inbound calls handled) × (percent of perfect score resulting in loyalty in %) × (1 + positive word of mouth factor) × (customer lifetime value in \$)	= (GAP in %) \times (inbound calls handled) \times (talk time in minutes) + (after call work time in minutes) / (60 minutes in an hour) \times (hourly rate of a TSR in \$) + (GAP in %) \times (inbound calls handled) \times (percent of perfect score resulting in loyalty in %) \times (1 + positive word of mouth factor) \times (customer lifetime value in \$)
HUMAN RESOURCE EFFICIENCY METRICS Turnover of part-time TSRs	(%) Turnover of full-time TSRs	Initial training period (hours)	Attendance (%)	Costs to recruit a new TSR (\$)	Hourly rate for a TSR (\$) INBOUND EFFECTIVENESS METRICS	Up and cross sell opportunities (%)	Up and cross sell resulting in a sale (%)	Perfect caller satisfaction score (%)	Once and done, or first time final calls (%)

20

5

In a preferred embodiment, the Optimal Decision Index is determined using four measures of specific solutions, namely cost to implement, time to implement, risk to implement, and ROI to implement. A weighted average is taken of these four measures to determine which solution is optimal.

Through use of the present invention, decision makers are able to better understand the performance of their company as a whole. By benchmarking specific company processes or functions, on an articulated basis, businesses are able to improve their performance, which is critical in today's highly competitive market. The targeted benchmarking provided by the present invention enhances management decision-making abilities in selecting the "best" improvement initiatives.

The present invention further includes the capability to manipulate and mine data contained in the database in real time so as to generate tailored informational reports. For example, a requesting user could request a report reflecting average compensation for call center operators in the state of Arizona. By specifying particular data categories or indices, e.g., operator compensation, and desired qualifying limitations, e.g., geographic area, requesting users are able to obtain a wide range of customized reports specifically directed to their own informational needs. The data in the database can be manipulated according to

any indexed data parameter or limitation.

The foregoing descriptions and drawings should be considered as illustrative only of the principles of the invention. The invention may be configured in a variety of formats and is not limited by the on-line presentation of the preferred embodiment. Numerous applications of the present invention will readily occur to those skilled in the art. Therefore, it is not desired to limit the invention to the specific examples disclosed or the exact configuration and operation shown and described. Rather, all suitable modifications and equivalents may be resorted to, falling within the scope of the invention.

WHAT IS CLAIMED IS:

1. A computerized method for conducting on-line benchmarking using a distributed computer network to connect a plurality of participants with computers to a host web site and host web site database, comprising the steps of:

receiving data from a user over the distributed computer network;

inputting, at the host site, the data to the database;

performing, using software at the host site, a data

validity check on the database to identify suspect data;

confirming, on an automated basis, a validity status of the suspect data;

deleting data confirmed by the validity status check to be incorrect;

killing gaps in the database created by the step of data deletion, using software, to create a gap-killed database;

identifying a peer group;

generating, on an automated basis using the gap-killed database, a report comparing user data with data associated with said peer group.

2. The method as set forth in claim 1, the step of receiving data including the step of presenting to a user accessing the host

site via the distributed computer network with a data input questionnaire.

- 3. The method as set forth in claim 1, the step of receiving data including the step of receiving electronic mail from the user over the distributed computer network, said electronic mail containing user data and being generated automatically by a user system.
- 4. The method as set forth in claim 3, the step of inputting the data being done automatically and including the step of extracting the user data from said electronic mail using a customized module.
- 5. The method as set forth in claim 1, further comprising after the step of inputting, the steps of:

copying the database to a mirror database; and performing all subsequent steps using the mirror database.

6. The method as set forth in claim 1, the step of performing a data validity check comprising the step of comparing a data value to a predetermined data comparator range.

į ()

7. The method as set forth in claim 6, the step of confirming a validity status comprising the steps of:

generating, on an automated basis, electronic mail to each user from which data believed to be incorrect was originally received;

receiving from each user, on an automated basis, data validity status.

8. The method as set forth in claim 7, further comprising the steps of:

deleting data confirmed by a user to be invalid; and modifying the data comparator range for data confirmed by the user to be valid.

9. The method as set forth in claim 1, the step of killing gaps in the database comprising the steps of:

selecting at least one data index from the database;
scanning the database to identify records in which the identified data index has been answered;

deleting records in which the identified data index is blank to leave a remaining set of records;

analyzing, for a current record having a gap and an associated gap index, a value of the identified data index;

then then the thin that that it the the thin that the thin the thin the thin the

. . .

comparing the value of the identified data index in the current record to corresponding values of the identified data index in the remaining set of records;

selecting from the remaining set of records those records whose corresponding values of the identified data index are within a preset number of standard deviations from the value of the identified data index in the current record; and

filling the gap using the selected records.

10. The method as set forth in claim 9, the step of filling comprising the steps of:

inserting an average value of the gap index values from the selected records when the gap index value is a real number;

determining a most likely response value in view of the gap index values from the selected records, and inserting the most likely response value, when the gap index value is a nominal value.

11. The method as set forth in claim 1, the step of identifying a peer group including the steps of:

comparing, by the host site, identification data received from the user with corresponding identification data received from other participants; and

selecting from the other participants a group of

And the other than their state the Ann and the other and the fact that

participants having identification data comparable with the identification data received from the user, the group of participants selected forming the peer group.

12. The method as set forth in claim 1, the step of identifying a peer group including the steps of:

receiving, by the host site, peer group identification parameters specified by the user;

matching, by the host site, the peer group identification parameters with records in the database meeting the parameters, the records meeting the specified parameters forming the peer group.

13. The method as set forth in claim 1, further comprising the steps of:

receiving, by the host site, data parameters specified by a user, said data parameters including at least one database index and at least one qualifying limitation; and

generating a report containing database values associated with said index and said limitation.

14. The method as set forth in claim 1, the step of generating comprising the steps of:

identifying a performance gap between said user data and

data associated with said peer group;

identifying a plurality of solutions to close said performance gap;

measuring, for each of said plurality of solutions, a cost to implement, a time to implement, a risk to implement, and a return on investment to implement;

taking a weighted average of said cost, time, risk and ROI to determine an optimal solution from among said plurality of solutions.

15. The method as set forth in claim 1, the step of generating comprising the steps of:

identifying a plurality of performance gaps between said user data and data associated with said peer group;

converting each of said plurality of performance gaps into a respective monetary value; and

comparing the respective monetary values to determine a performance gap resulting in a largest financial loss.

16. A system for conducting on-line benchmarking comprising:

means for receiving data over a distributed computer

network and for inputting said data to a database;

means for performing a data validity check on the

database to identify suspect data;

means for confirming, on an automated basis, a validity status of the suspect data and for deleting data confirmed to be incorrect;

means for killing gaps in the database created by data deletion to create a gap-killed database;

means for defining a peer group;

means for generating, on an automated basis using the gap-killed database, a report comparing user data with data associated with said peer group.

- 17. The system as set forth in claim 16, said database including a mirror database representing a copy of said database and being regenerated on a regular basis, said data validity check being performed on said mirror database.
- 18. The system as set forth in claim 17, said means for confirming including a delinquent data checker for checking data validity of said mirror database, said delinquent data checker automatically initiating electronic mail to the user in response to suspect data.

19. The system as set forth in claim 17, said means for killing gaps including a gap killer for selecting database records within a preset number of standard deviations from an identified data index having a gap, and for filling the gap using values from the selected records.


ABSTRACT OF THE DISCLOSURE

به د د د در

5

And the first speed about the first the first speed and first speed and first facilities.

An on-line benchmarking system and method that enables requesting users to define customized peer groups within an extensive database of participants, and to be compared with such customized groups in a wide range of performance categories. The system and method incorporates a range of detailed reporting options that not only present comparison data, but also financially quantify performance gaps and identify and rank a range of solution options.







FIG. 2



F16.3




FIG. 4






FIG. 5






	Your Center	Peer Group	Best-in-Peer Group	All Participants
What is the frequency with which you measure caller satisfaction?			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Weekly				10.0%
Monthly	X			20.0%
Quarterly				30.0%
Annually				40.0%

F16.8

Inbound Performance Metrics

	Your Center		Peer (Peer Group			Best-in-P	Best-in-Peer Group			All Pa	All Participants	
Metric Description	Survey Response	Median	Average	Standard Deviation	Highest Value	Median	Average	Standard Deviation	Highest Value	Median	Average	Standard	Highest
What are your	A Participant										-11	Deviation	value
inbound call													
center service level		191											
statistics?													
Average speed of	75.0	10.0	56.0	120.2	411.0	10.0	20.5	25.4	87.0	20.0	30.7	50.3	900.0
A varage tell time													
(minutes)	3.0	4.0	0.6	11.8	42.0	4.0	5.7	4.7	13	3.0	8.8	30.8	342.0
Average after call	3.0	1.0	3.1	5.0	15.0	1.0	3.3	5.3	15	-	8.8	91.1	2 661 0
work time (minutes)									!	•	2		2,001,0
Average calls abandoned	7.00%	3.00%	4.82%	6.15%	22.00%	4.00%	5.30%	6.25%	22.00%	3.00%	4.62%	6.43%	93.00%
Average time in queue (seconds)	10.0	20.0	34.4	39.8	138.0	28.0	37.8	40.2	138.0	30.0	35.8	47.0	0.009
Average number of	75,000/	,000											
calls closed on first		/0.00%	64.64%	23.63%	%00.cg	73.00%	64.10%	24.84%	85.00%	73.00%	59.62%	35.42%	100.00%
Average TSR	85.00%	62.00%	59.27%	33.04%	100.00%	72.00%	65.20%	27.99%	100.00%	74.00%	59.79%	33.56%	100.00%
Average time	0 000	į	1										1000
before abandoning	0.000	76.0	0.86	54.7	180.0	26.0	46.9	39.2	120.0	45.0	53.6	9.09	720.0
Average adherence to schedule	%00.02	85.00%	72.09%	35.93%	98:00%	86.00%	79.30%	28.28%	%00.86	88.00%	67.76%	38.53%	100.00%
Cost per call	\$1.00	\$3.00	\$3.82	\$2.86	\$9.00	\$3.00	\$4.20	\$2.70	\$9.00	\$4.00	\$9.88	\$22.80	\$500.00
Inbound calls per 8-hour shift per rep	50.0	45.0	42.1	23.3	70.0	53.0	46.3	19.7	70.0	52.0	78.6	287.2	7,000.0
Percentage	/000 90	/800 00	77 550/										
attendance	90.00%	80.00%	77.55%	27.44%	98.00%	80.00%	76.10%	28.48%	%00.86	81.00%	%92.99	37.21%	112.00%


Report Samples



(G. 10

Performance Matrix





F16.11

	Your Center	Peer Group	Value Creating Gap	Value Destroying Gap
Metric				
TSR Employment				
Ratio TSR's / supervisor	24	11.39	110.7%	
TSR Hiring Costs				
Cost to bring on a new TSR (x1000)	\$25,000.00	\$7,451.18		235.5%
Inbound performance metrics				
Average speed of answer (seconds)	75.0	56.00		33.9%
Average talk time (minutes)	3.0	9.00	66.7%	
Average after call work time (minutes)	3.0	3.09	2.9%	
Average calls abandoned	7.0%	4.8%		45.3%
Average calls blocked	%0.0	1.8%	100.0%	
Average time in queue (seconds)	10.0	34.4	70.9%	
Average number of calls closed on first contact (once and done calls)	0.8	9.0	16.0%	
Average adherence to schedule	%0.07	72.1%		2.9%
Cost per call	\$1.00	\$3.82	73.8%	
Inbound calls per 8-hour shift per TSR	50.0	42.1	18.8%	

	Your Center	Peer Group	Absolute Gap	Relative Gap	Gap Value
Metric					
TSR Employment	Ó				
Ratio TSR's / supervisor	1.00	11.96	-10.96	91.64%	\$ (210,458)
TSR Hiring Costs					
Cost to bring on a new TSR (x1000)	\$45.00	\$7.86	\$ (37,137.68)	-472.35%	\$ 18,971
Inbound Performance Metrics					
Average talk time (minutes)	7.00	6.38	-0.62	-9.64%	\$ (89,182)
Average after call work time (minutes)	8.00	19.45	11.45	58.88%	\$ 1,660,059
Average calls abandoned	%00'9	5.95%	-0.05%	-0.91%	\$ (6,023)
Average calls blocked	0.00%	3.37%	337%	100.0%	\$ 53,462
Average time in queue (seconds)	26.00	37.02	11.02	29.76%	\$ 27,540
Average number of calls closed on first contact (once and	-				
done calls)	%00.89	74.94%	-6.94%	-9.25%	\$ (17,338)
Average adherence to schedule	89.00%	86.52%	2.48%	2.86%	\$ 2,444
Cost per call	\$0.15	\$11.65	\$ (3.35)	-28.70%	\$ (334,524)
Inbound calls per 8-hour shift per TSR	0.50	64.53	-14.53	-22.51%	\$ (36,018)

t

Gap Name	Solution	Cost per Seat	Cost per Seat ImplementationTime	Risk	Risk GapImpact		ROI OptimalDecisionIndex
Average adherance to schedule	Workforce scheduling	\$300	80 days	65	65%	-16.94%	-0.15
	Training	\$600	90 days	09	25%	-84.03%	-0.72
Average calls abandoned	Workforce scheduling	\$300	80 days	92	65%	-36.38%	-0.32
	Client server	\$1500	180 days	82	45%	-91.19%	-0.46
	СП	006\$	120 days	75	%06	-70.64%	-0.47
	IVR	\$300	50 days	45	65%	-36.38%	-0.48
	Skill Based Routing	\$200	50 days	40	35%	-48.62%	-0.70
	ACD	\$700	45 days	09	85%	-64.35%	-0.70
	Temporary agents	\$4000	100 days	30	10%	-99.27%	-0.79
	Part-time agents	\$1000	75 days	40	10%	-97.06%	-1.06
	Additional lines	\$800	30 days	30	%02	-74.31%	-1.36
Cost to bring on a new TSR	Applicant testing	\$100	30 days	40	20%	1173.91%	20.36
	Applicant screening	\$250	40 days	09	30%	664.35%	7.84
	Performance compensati	\$1000	30 days	06	15%	-4.46%	-0.04
	Temp. Agents	\$4000	100 days	30	10%	-84.08%	-0.67
Turnover full-time inbound	Expert systems	\$1500	180 days	96	45%	-91.52%	-0.44
	Web integration	\$2500	130 days	06	75%	-91.52%	-0.49
	IVR	\$300	50 days	45	92%	-38.76%	-0.51
	ANI	\$300	60 days	9	40%	-62.31%	-0.65
	Skill based routing	\$200	50 days	40	35%	-50,53%	-0.72
	Training	\$600	90 days	40	25%	-88.22%	-0.92
	Predictive dialer	\$700	60 days	40	20%	-79.81%	-0.99
	Relationship marketing	\$600	60 days	40	30%	-85.87%	-1.08
,	CBT	\$1000	120 days	10	20%	-94.35%	-1.09
	Cubical size	\$1000	45 days	30	2%	-98.59%	-1.52
	Coaching	\$200	60 days	20	10%	-85.87%	-1.55